

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

RED/M.S.I

No:- Format1.0/CAC/UAN No.0000074661/CR - 200/002075

Date: 30/01/2020

To,  
Dr.Babasaheb Ambedkar Vaidyakiya Pratishthan's  
Dr.Hedgewar Rugnalaya and Dattaji Blood Bank  
cts15039,Garkheda parisar Aurangabad

Sub: **Renewal of combine consent and BMW Authorization**

- Ref:
1. Combine Consent and Bio-Medical Authorization granted by the Board vide no.BO/CAC Cell/CCA/CAC-1712000218 Dated 07.12.2017 valid up to 30.06.2019
  2. Your application for Combine Consent and Bio-Medical Authorization dated 08.06.2019
  3. The minutes of Consent Appraisal Committee meeting dated 23.09.2019

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Renewal and BMW authorization is granted upto: 30.06.2024**

2. The capital investment of the project is Rs.138.6999 Crs. (As per C.A Certificate submitted by industry Existing-Rs.36.18 Crs + Expansion/Increase in C.I. - Rs.102.69 Crs).

3. The Consent is valid for the Activity of

Sr No	Activity	Units	UOM
1)	Hospital		
a)	Beds	304	Nos
b)	Total Plot Area	16200.00	Sq.Mtrs
c)	Total Built up Area	12136.00	Sq.Mtrs



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/ 24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
E-mail: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2<sup>nd</sup> - 4<sup>th</sup> Floor  
Opp. Cine Planet Cinema,  
Near Sion Circle, Sion (E)  
Mumbai-400 022.

Consent order No: BO/CAC Cell/CCA/CAC- 17/2000218

Date: 07/12/2017

To,  
Dr Hedgewar Rugnalaya,  
Garkheda Parisar,  
Aurangabad.

**Subject: Combined Consent to Operate and BMW Authorization under Red category.**

Ref :

1. Previous Authorization granted vide no. MPCB/PAMS/BMW/AD-11368-12/AD-34/2013 dated 05.2.2013.
2. Your application approved by CAC in its 2nd CAC Meeting of 2016-17 held on 02.06.2016.

Your Application : CO1402000188

Dated: 18.07.2013

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 6 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Bio-Medical Waste Management Rules, 2016, as amended is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. The combined consent to operate and BMW authorization is granted for a period Upto 30.06.2019.
2. The actual capital investment of the Health Care Establishment is Rs. 36.18 crs (As per document submitted by applicant)
3. The Combined consent to operate and BMW authorization is valid for the Activity of

Sr. No.	Activity	Beds
1	Health Care Establishment having 267 beds on Total Plot Area of 16200 sq.m. and Total Construction BUA of 12136 sq.m.	267 nos.

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	8	As per Schedule -I	The treated effluent shall be recycled to the maximum extent for flushing, HVAC make up and remaining shall be used on land for gardening and connected to the sewerage system provided by local body
2.	Domestic effluent	65	As per Schedule -I	

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of stack/ source	Number Of Stack	Standards to be achieved
1	D.G. Set (500 KVA)	1	As per Schedule-II
2	Boiler	2	As per Schedule-II

6. Conditions under Municipal Solid Waste (Management and Handling) Rule, 2000 :

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Wet garbage	As actual	Kg/Day	Bio-gas plant/ OWC	Gas to be utilized for purposes/ Use as manure
2	Dry garbage	As actual	Kg/Day	--	Recycle or Hand over to local body
3	STP Sludge	As actual	Kg/Day	--	Use as manure

7. Conditions under E-Waste (Management and Handling) Rule,2011 :

Sr. No.	Type Of Waste	Quantity	Treatment	Disposal
1	E-waste	As actual	Nil	Through authorized recyclers

8. Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:

Sr. No.	HW category	Type Of Waste	Quantity	UOM	Treatment	Disposal
NA						

9. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

11. This consent is issued subject to conditions mentioned below,

- i) The "authorized Person" Director Administrator of **Dr Hedgewar Rugnalaya, Garkheda Parisar, Aurangabad** shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- ii) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
- iii) You shall submit details of Management and Handling of outdated, discarded, unused **Cytotoxic drugs** generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) alongwith Annual Report to MPCB with a copy to CPCB before 31<sup>st</sup> January every year.
- iv) You shall manage the **Mercury Waste** in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website [www.cpcb.nic.in](http://www.cpcb.nic.in) dated 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".

- v) You shall submit compliance of Bank Guarantee conditions every six months to **Regional Officer, Aurangabad** for verification purpose.
- vi) The occupier shall phase out the chlorinated plastic bags, gloves and blood bags within two years from BMW Rules, 2016.
- vii) The occupier shall ensure that the liquid waste is treated and disposed in accordance with the Water (P & CP) Act, 1974.
- viii) The occupier shall maintain day to day basis records of BMW & display monthly records including Annual report and its website within two years from BMW Rules, 2016.
- ix) If the Built-up area exceeds more than 20,000 sq.mtrs and if the hospital is commissioned after 14.09.2006, then they shall comply with EIA Notification dated 14.09.2006 and amendments thereof by obtaining Environmental Clearance.

For and on behalf of the  
Maharashtra Pollution Control Board

*(P.K.Mirashe)*  
(P.K.Mirashe)

Member Secretary

Received Consent fee of –

Sr. No.	Amount(Rs.)	Bank Name	DD. No.	Date
1	150000	Janata Sahakari Bank Ltd	028369	14.06.2013
2	100	Janata Sahakari Bank Ltd	028390	14.06.2013
3	20600	Janata Sahakari Bank Ltd	032605	23.06.2014
4	575000	Janata Sahakari Bank Ltd	041191	18.05.2016

The balance fees of Rs 1,70,000 shall be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer – MPCB, Aurangabad and Sub-Regional Officer, MPCB, Aurangabad-1: They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

Schedule-I

**I) Terms & Conditions for compliance of Water Pollution Control**

1) A] Applicant shall ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralization prior to mixing with other effluent generated from health care facilities. As per application you have provided STP of capacity 100 CMD.


B] The Applicant shall operate the effluent treatment system to treat the effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for pH and Fecal Coliform
01	pH	6.5-9.0
02	BOD (3 days 27°C)	30
03	Suspended Solids	100
04	Fecal Coliform (FC) (Most Probable Number per 100 milliliter, MPN/100ml)	<1000

C] The treated effluent shall be recycled to the maximum extent for flushing, HVAC make up and remaining shall be used on land for gardening and connected to the sewerage system provided by local body. In no case, effluent shall find its way to any water body directly/indirectly at any time.

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines if applicable.
- 5) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made thereunder for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.



II) Conditions under Water (Prevention & Control of Pollution) CESS Act, 1977 as amended

The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water Consumption quantity CMD
1.	Industrial Cooling, boiler feed etc.,	20
2.	Domestic purpose	85
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	10
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	--

Maharashtra Pollution Control Board



Schedule-II

Terms & conditions for compliance of Air Pollution Control

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type Of Fuel	Quantity	S%	SO2 Kg/D
1	D.G. Set (500 KVA)	Acoustic Chamber	6*	HSD	40 Kg/Hr	1	19
2	Boiler	Stack	27	HSD	23 Kg/Hr	1	11
3	Boiler	Dust collector	27	Briquette	70 Kg/Hr	0.06	2

\*Above the roof of building in which it is installed.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup>
--------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III

**I) Terms & Conditions for compliance of Biomedical Waste Management**

1. The "authorized Person" Administrator of **Dr. Hedgewar Rugnalaya, Garkheda Parisar, Aurangabad** shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The combined consent is granted for generation and disposal of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Type of Bag or Container to be used	Treatment and Disposal options
1	Yellow	<b>(a) Human Anatomical Waste:</b> Human tissues, organs, body parts and fetus below the viability period (as per the Medical Termination of Pregnancy Act 1971, amended from time to time).	42	Yellow coloured non-chlorinated plastic bags	Incineration or Plasma Pyrolysis
		<b>(b) Animal Anatomical Waste :</b> Experimental animal carcasses, body parts, organs, tissues, including the waste generated from animals used in experiments or testing in veterinary hospitals or colleges or animal houses.	Nil	Yellow coloured non-chlorinated plastic bags	
		<b>(c) Soiled Waste:</b> Items contaminated with blood, body fluids like dressings, plaster casts, cotton swabs and bags containing residual or discarded blood and blood components.	180	Yellow coloured non-chlorinated plastic bags	Incineration or Plasma Pyrolysis In absence of above facilities, autoclaving or micro-waving/hydroclaving followed by shredding or mutilation or combination of sterilization and shredding. Treated waste to be sent for energy recovery.
		<b>(d) Expired or Discarded Medicines:</b> Pharmaceutical waste like antibiotics, cytotoxic drugs including all items contaminated with cytotoxic drugs along with glass or plastic ampoules, vials etc.	3	Yellow coloured non-chlorinated plastic bags or containers	Expired cytotoxic drugs and items contaminated with cytotoxic drugs to be returned back to the manufacturer or supplier for incineration at temperature >1200 0C or to common bio-medical waste treatment facility or hazardous waste treatment, storage and disposal facility for incineration at



				<p>&gt;12000C Or Encapsulation or Plasma Pyrolysis at &gt;12000C.</p> <p>All other discarded medicines shall be either sent back to manufacturer or disposed by incineration.</p>
		(e) <b>Chemical Waste:</b> Chemicals used in production of biological and used or discarded disinfectants.	--	<p>Yellow coloured containers or non-chlorinated plastic bags</p> <p>Disposed of by incineration or Plasma Pyrolysis or Encapsulation in hazardous waste treatment, storage and disposal facility.</p>
		(f) <b>Chemical Liquid Waste :</b> Liquid waste generated due to use of chemicals in production of biological and used or discarded disinfectants, Silver X-ray film developing liquid, discarded Formalin, infected secretions, aspirated body fluids, liquid from laboratories and floor washings, cleaning, house-keeping and disinfecting activities etc.	--	<p>Separate collection system leading to effluent treatment system</p> <p>After resource recovery, the chemical liquid waste shall be pre-treated before mixing with other wastewater. The combined discharge shall conform to the discharge norms given in Schedule-III of Bio-Medical Waste Management Rules, 2016</p>
		(g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	Nil	<p>Non-chlorinated yellow plastic bags or suitable packing material</p> <p>Non-chlorinated chemical disinfection followed by incineration or Plazma Pyrolysis or for energy recovery.</p> <p>In absence of above facilities, shredding or mutilation or combination of sterilization and shredding. Treated waste to be sent for energy recovery or incineration or Plazma Pyrolysis.</p>
		(h) <b>Microbiology, Biotechnology and other clinical laboratory waste:</b> Blood bags, Laboratory cultures, stocks or specimens of microorganisms, live or attenuated vaccines, human and animal cell cultures used in research, industrial laboratories, production of biological, residual toxins, dishes	1.5	<p>Autoclave safe plastic bags or containers</p> <p>Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter for Incineration.</p>

		and devices used for cultures.			
2	Red	<b>Contaminated Waste (Recyclable)</b> (a) Wastes generated from disposable items such as tubing, bottles, intravenous tubes and sets, catheters, urine bags, syringes (without needles and <i>fixed needle syringes</i> ) and vaccutainers with their needles cut) and gloves.	--	Red coloured non-chlorinated plastic bags or containers	Autoclaving or micro-waving/ hydroclaving followed by shredding or mutilation or combination of sterilization and shredding. Treated waste to be sent to registered or authorized recyclers or for energy recovery or plastics to diesel or fuel oil or for road making, whichever is possible.  Plastic waste should not be sent to landfill sites.
3	White (Translucent)	<b>Waste sharps including Metals:</b> Needles, syringes with fixed needles, needles from needle tip cutter or burner, scalpels, blades, or any other contaminated sharp object that may cause puncture and cuts. This includes both used, discarded and contaminated metal sharps	180	Puncture proof, Leak proof, tamper proof containers	Autoclaving or Dry Heat Sterilization followed by shredding or mutilation or encapsulation in metal container or cement concrete; combination of shredding cum autoclaving; and sent for final disposal to iron foundries (having consent to operate from the State Pollution Control Boards or Pollution Control Committees) or sanitary landfill or designated concrete waste sharp pit.
4	Blue	<b>(a) Glassware:</b> Broken or discarded and contaminated glass including medicine vials and ampoules except those contaminated with cytotoxic wastes.	--	Cardboard boxes with blue colored marking	Disinfection (by soaking the washed glass waste after cleaning with detergent and Sodium Hypochlorite treatment) or through autoclaving or microwaving or hydroclaving and then sent for recycling.
		<b>(b) Metallic Body Implants</b>	Nil	Cardboard boxes with blue colored marking	
No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorised by MPCB					

- 3.
- (i) No untreated bio-medical waste shall be mixed with other wastes.
  - (ii) The bio-medical waste shall be segregated into containers or bags at the point of generation in accordance with Schedule I prior to its storage, transportation, treatment and disposal.
  - (iii) The containers or bags referred to in sub-rule (2) shall be labeled as specified in Schedule IV.
  - (iv) Bar code and global positioning system shall be added by the Occupier and common bio-medical waste treatment facility in one year time.
  - (v) The operator of common bio-medical waste treatment facility shall transport the bio-medical waste from the premises of an occupier to any off-site bio-medical waste treatment facility only in the vehicles having label as provided in part 'A' of the Schedule IV along with necessary information as specified in part 'B' of the Schedule IV.
  - (vi) The vehicles used for transportation of bio-medical waste shall comply with the conditions if any stipulated by the State Pollution Control Board or Pollution Control Committee in addition to the requirement contained in the Motor Vehicles Act, 1988 (59 of 1988), if any or the rules made there under for transportation of such infectious waste.
  - (vii) Untreated human anatomical waste, animal anatomical waste, soiled waste and, biotechnology waste shall not be stored beyond a period of forty –eight hours:  
Provided that in case for any reason it becomes necessary to store such waste beyond such a period, the occupier shall take appropriate measures to ensure that the waste does not adversely affect human health and the environment and inform the prescribed authority along with the reasons for doing so.
  - (viii) Microbiology waste and all other clinical laboratory waste shall be pre-treated by sterilisation to Log 6 or disinfection to Log 4, as per the World Health Organisation guidelines before packing and sending to the common bio-medical waste treatment facility.
  - (ix) Necessary protective gear for the waste handlers shall be provided by the hospital Authority.
  - (x) You shall ensure proper collection of mercury spillage arising mainly due to breakage of thermometers pressure gauges (Sphygmomanometers) other equipments used in health care facilities (HCFs) as well as its storage in accordance with the Hazardous waste (Management & Handling) Rules (presently these Rules has to be read as 'Hazardous Waste (Management & Handling and Trans boundary Movement) Rules, 2008) and returning it to the instrument manufacturers apart from necessary taking steps to ensure that the spilled mercury does not become a part of bio-medical or other solid wastes generated from the HCFs.
4. (i) You shall submit an Annual Report to the prescribed authority in Form-IV by 30<sup>th</sup> June every year including information about the categories and quantities of BMW handled during the preceding year.
- (ii) You shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
- (iii) All records shall be subject to inspection and verification by the prescribed authority at any time.
5. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form I to the prescribed authority forthwith.
6. You shall submit valid registration copy of Bombay Nursing Home Act to Board.
7. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.



**Schedule-IV : Bank Guarantees**

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by Dr. Hedgewar Rugnalaya, Garkheda Parisar, Aurangabad.

Applicant shall extend/ submit BG as below:

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
I (A)	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Rule	Continuous	1,00,000/-
2	Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	1,00,000/-
I (B)	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31 <sup>st</sup> January	Continuous	25,000/-
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25,000/-

**Note:**

- (i) The above Bank Guarantee(s) shall be submitted by the applicant at the respective Regional Office within 15 days of the date of issue of Combined Consent and Authorization (CCA).
- (ii) The Bank Guarantee(s) shall be valid for a period upto: Validity of CCA + 4 months



Schedule-V  
General Conditions

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous & Other Waste (M & T) Rules, 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous & Other Waste (M & T) Rules, 2016 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous & Other Waste (M & T) Rules, 2016 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of

- 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 17) The industry should not cause any nuisance in surrounding area.
  - 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
  - 19) The applicant shall maintain good housekeeping.
  - 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
  - 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
  - 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
  - 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
  - 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
  - 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

-----0000-----

